

| GHS Product identifier | | |
|--------------------------------|-----------------------------|---|
| Mixture identifica | | |
| Trade name: | Ink Cartrid | ge, T8098 |
| Recommended use of | the chemical and restrictio | ns on use |
| Recommended u | | |
| | Ink for inkjet printing | |
| Supplier's details | | |
| Supplier in Austr | | |
| | EPSON Australia Pty L | |
| | | Ryde, NSW 2113, Australia |
| | (02) 8899 3666 | www.epson.com.au |
| Supplier in New | | |
| | EPSON New Zealand F | |
| | | uckland 1010, New Zealand |
| Data | (09) 366 6855 | www.epson.co.nz |
| Date: | 02/03/2018 | 3 |
| Revision: | 1.0 | |
| Emergency phone num | | |
| Australia New Zealand | | 3666 (Mon-Fri, 9AM-5PM, AEST) 855 (Mon-Fri, 9AM-5PM, NZST) |
| new Zealanu | (09) 500 0 | 555 (MOH-FII, SAM-5FM, NZST) |
| lazard identification | | |
| Classification of the Ha | | |
| | | according to GHS - Fifth revised edition. |
| | cluding precautionary stat | |
| | sified as dangerous accore | ding to GHS - Fifth revised edition. |
| Hazard pictograms: | | |
| None | | |
| Hazard statements: | | |
| None | | |
| Precautionary stateme | nts: | |
| None | | |
| Special Provisions: | | |
| | | |
| None Other hazards which de | | |

Substances No Mixtures

| Qty | Name | Ident. Numb | er | Classification |
|---------|----------------------------|-------------|--------------|--|
| 65% ~ | Water | CAS: | 7732-18-5 | The product is not classified as |
| 80% | | EC: | 231-791-2 | dangerous according to GHS - Fifth revised edition. |
| 7% ~ | Glycerol | CAS: | 56-81-5 | The product is not classified as |
| 10% | | EC: | 200-289-5 | dangerous according to GHS - |
| | | | | Fifth revised edition. |
| 5% ~ 7% | Carbon black | CAS: | 1333-86-4 | The product is not classified as |
| | | EC: | 215-609-9 | dangerous according to GHS - |
| | | | | Fifth revised edition. |
| 1% ~ 3% | 1,1',1"-nitrilotripropan-2 | Index | 603-097-00-3 | 3.3/2A Eye Irrit. 2A H319 |
| | -ol; | number: | | |



| triisopropanolamine | CAS: | 122-20-3 | |
|---------------------|------|-----------|--|
| | EC: | 204-528-4 | |

4. First-aid measures

Description of necessary first-aid measures In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Symptoms caused by exposure

None

Medical attention and special treatment

Treatment:

None

5. Fire-fighting measures

Suitable extinguishing media Water. Carbon dioxide (CO2). Unsuitable extinguishing media: None in particular. Specific hazards arising from the chemical Do not inhale explosion and combustion gases. Burning produces heavy smoke. Hazardous combustion products: None Explosive properties: No data available Oxidizing properties: No data available Special protective equipment and precautions for fire-fighters Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

AUS, T8098_en Page n. 2 of 7



Do not eat or drink while working. See also section 8 for recommended protective equipment. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters - exposure standards, biological monitoring Glycerol - CAS: 56-81-5 - OEL Type: OSHA - TWA: 5 mg/m3 - OEL Type: OSHA - TWA: 15 mg/m3 Carbon black - CAS: 1333-86-4 - OEL Type: ACGIH - TWA(8h): 3 mg/m3 - OEL Type: OSHA - TWA: 3.5 mg/m3 **DNEL Exposure Limit Values** No data available **PNEC Exposure Limit Values** No data available Appropriate engineering controls None Individual protection measures, such as personal protective equipment (PPE) Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use.

Thermal Hazards:

None

Chemical Controls for Australian Printers

- Minimise skin contact with inks and cleaning chemicals.
- Ensure that ventilation equipment is maintained and working effectively, to minimise airborne exposures.

9. Physical and chemical properties

| | Appearance and colour: | Black Liquid | |
|------|---|--------------------------------------|-------------|
| | Odour: | Slightly | |
| | Odour threshold: | No data available | |
| | pH: | 9.2 ~ 10.2 at 20 ℃ | |
| | Melting point / freezing point: | No data available | |
| | Initial boiling point and boiling range: | No data available | |
| | Solid/gas flammability: | No data available | |
| | Upper/lower flammability or explosive limits: | No data available | |
| | Vapour density: | No data available | |
| | Flash point: | Does not flash until 100 °C / 212 °F | (closed cup |
| | | method, ASTM D 3278) | |
| | Evaporation rate: | No data available | |
| | Vapour pressure: | No data available | |
| | Relative density: | No data available | |
| | Solubility in water: | Soluble | |
| | Solubility in oil: | No data available | |
| | Partition coefficient (n-octanol/water): | No data available | |
| AUS, | T8098_en | | Version 8.0 |
| | | | |

Page n. 3 of 7



No data available No data available < 5 mPa·s at 20 °C No data available No data available No data available No data available

10. Stability and reactivity

Reactivity Stable under normal conditions Chemical stability Stable under normal conditions Possibility of hazardous reactions None Conditions to avoid Stable under normal conditions. Incompatible materials None in particular. Hazardous decomposition products None.

11. Toxicological information

Toxicological information of the product:

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative f) carcinogenicity:

Components do not come under carcinogens (Ref. 1), except for Carbon black g) reproductive toxicity:

Does not contain reproductive toxicity and developmental toxic substances (Ref. 2) Toxicological information of the main substances found in the product:

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

Carbon black - CAS: 1333-86-4

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

Carbon black - CAS: 1333-86-4

With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.

If not differently specified, the information listed below must be considered as N.A.::

a) acute toxicity;

b) skin corrosion/irritation;

- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;

AUS, T8098_en

Page n. 4 of 7



e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects None

13. Disposal considerations

Disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. Transport information

UN number

Not classified as dangerous in the meaning of transport regulations. UN proper shipping name No data available

Transport hazard class(es) No data available

Packing group, if applicable

No data available

Environmental hazards

No

Special precautions for user No data available

Additional Information No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question
 This Safety Data Sheet has been prepared according to the Australian Work Health and
 Safety (WHS) act and the Code of Practice on preparation of safety data sheets for
 Hazardous Chemicals
 Australia Information:
 Statement of Hazardous Nature:
 Not classified as hazardous according to criteria of NOHSC
 New Zealand Information:
 Hazardous Substances and New Organisms Act 1996:
 Not regulated

16. Other information

Full text of phrases referred to in Section 3: H319 Causes serious eye irritation.

AUS, T8098_en Page n. 5 of 7



This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Insert further consulted bibliography

Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer)
·Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
·TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
·IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
·National Toxicology Program (NTP) Report on Carcinogens (USA)
·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
·MAK und BAT Werte Liste (DFG: German Research Foundation)
·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

 Ref. 2 •Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 •TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
|-------------|---|
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of |
| | Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods |

AUS, T8098_en Page n. 6 of 7



| | by Rail. |
|--------|---|
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |
| WGK: | German Water Hazard Class. |
| SUSMP: | SUSMP: Standard for the Uniform Scheduling of Medicines and |
| | Poisons |