Issue date: 04-January-2017 Revision date: 11-July-2018 Supersedes date: 06-June-2018

Version number: 04

Kodak alaris

SAFETY DATA SHEET

1. Identification

Product identifier KODAK FLEXICOLOR Bleach III Replenisher, Part A

Other means of identification

 Product code
 6600258A

 SDS No.
 PCD 6221

Recommended use of the chemical and restrictions on use

Recommended use Photographic processing chemical. (bleach/bleach fixer).

Restrictions on use For industrial use only.

Details of manufacturer or importer

SupplierKodak Alaris Australia Pty LimitedAddressGround Floor, 2 Domville Avenue

Hawthorn, Victoria 3122

Australia

e-mail EHS-Questions@Kodakalaris.com

Emergency telephone (02) 90372994

number

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s)



Health hazard

Signal word Danger

Hazard Statement(s) Causes serious eye damage.

Precautionary Statement(s)

Prevention Wear eye protection/face protection.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards which do not

result in classification

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixture

| Identity of chemical ingredients | CAS number and other | Concentration of |
|----------------------------------|----------------------|------------------|
| | unique identifiers | ingredients |
| | | |

Acetic acid 64-19-7 5 - 10

Ammonium bromide 5 - 10 12124-97-9

4. First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Symptoms caused by exposure Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Medical attention and special

treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Water spray. Alcohol resistant foam. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Carbon oxides. Nitrogen oxides (NOx).

Special protective equipment

and precautions for fire

fighters

Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may

produce hazardous decomposition products.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Hazchem Code None.

No unusual fire or explosion hazards noted. General fire hazards

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

Environmental precautions

Methods and materials for containment and cleaning up Avoid discharge into drains, water courses or onto the ground.

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Material name: KODAK FLEXICOLOR Bleach III Replenisher, Part A

SDS AUSTRALIA

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

s of the SDS).

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

| Components | Туре | Value |
|---------------------------|------|----------|
| Acetic acid (CAS 64-19-7) | STEL | 37 mg/m3 |
| | | 15 ppm |
| | TWA | 25 mg/m3 |
| | | 10 ppm |

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment)

 Components
 Type
 Value

 Acetic acid (CAS 64-19-7)
 STEL
 37 mg/m3

 15 ppm
 15 mg/m3

 10 ppm
 10 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Colour colourless
Odour acetic acid
Odour threshold Not available.

pH 5

Melting point/freezing point Not available.

Initial boiling point and boiling 100 °C (212 °F)

range

Flash point does not flash
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper

Not available.

(%)

Vapour pressure

18 mm Hg

Vapour density

0.6

Relative density

Not available.

Solubility(ies)

Solubility (water) Partition coefficient

Complete

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Not available. **Viscosity**

Other physical and chemical parameters

Explosive properties Oxidising properties

Not explosive. Not oxidising.

Specific gravity

1.08

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Possibility of hazardous Material is stable under normal conditions. Hazardous polymerisation does not occur.

reactions

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with base

liberates flammable material. Contact with base liberates ammonia. Strong bases. Sodium

hypochlorite (bleach).

Hazardous decomposition

products

Nitrogen oxides (NOx). Ammonia. Chloramine. Hydrogen bromide.

11. Toxicological information

Information on possible routes of exposure

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Inhalation

No adverse effects due to skin contact are expected. Skin contact

Eye contact Causes serious eye damage. May cause discomfort if swallowed. Ingestion

Symptoms related to

exposure

Severe eve irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Components **Species Test results**

Acetic acid (CAS 64-19-7)

Acute Dermal

LD50 Rabbit 1060 mg/kg

Inhalation

LC50 Rat 11.4 mg/l, 4 Hours

Oral

LD50 Rat 3320 mg/kg

Material name: KODAK FLEXICOLOR Bleach III Replenisher, Part A

SDS AUSTRALIA

Components **Species Test results**

Ammonium bromide (CAS 12124-97-9)

Acute **Dermal**

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 2714 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not available.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated

Not classified.

exposure

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Readily biodegradable. Persistence and degradability No data available. Bioaccumulative potential

Mobility in soil No data available for this product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods

contents/container in accordance with local/regional/national/international regulations.

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

ADG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not established.

Material name: KODAK FLEXICOLOR Bleach III Replenisher, Part A

15. Regulatory information

Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

Australia Medicines & Poisons Appendix E

ACETIC ACID (CAS 64-19-7)

Australia Medicines & Poisons Appendix F

ACETIC ACID (CAS 64-19-7)

Australia Medicines & Poisons Schedule 2

ACETIC ACID (EXCLUDING ITS SALTS AND DERIVATIVES) (CH3COOH) (CAS 64-19-7)

Australia Medicines & Poisons Schedule 4

Ammonium bromide (CAS 12124-97-9)

Australia Medicines & Poisons Schedule 5

ACETIC ACID (EXCLUDING ITS SALTS AND DERIVATIVES) (CH3COOH) (CAS 64-19-7)

Australia Medicines & Poisons Schedule 6

ACETIC ACID (EXCLUDING ITS SALTS AND DERIVATIVES) (CH3COOH) (CAS 64-19-7)

Australia National Pollutant Inventory (NPI): Threshold quantity

Acetic acid (CAS 64-19-7) 10 TONNES/YR Threshold Category: 1

High Volume Industrial Chemicals (HVIC)

Acetic acid (CAS 64-19-7) 1000 - 9999 TONNES See the regulation for additional

information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |

Country(s) or region Inventory name On inventory (yes/no)*

Existing Chemicals List (ECL) Korea Yes New Zealand New Zealand Inventory Yes **Philippines** Yes

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 04-January-2017 11-July-2018 **Revision date**

Disclaimer Kodak Alaris cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

Yes

SDS AUSTRALIA

sheet was written based on the best knowledge and experience currently available.

Revision information Fire-fighting measures: Unsuitable extinguishing media

Physical & Chemical Properties: Multiple Properties

GHS: Classification

Material name: KODAK FLEXICOLOR Bleach III Replenisher, Part A

3135 7/7