Issue date: 04-January-2017 Revision date: 09-November-2018 Supersedes date: 02-October-2018 Version number: 06

SAFETY DATA SHEET

Kodak alaris

1. Identification

Product identifier KODAK FLEXICOLOR Bleach III Replenisher, Part B

Other means of identification

6600258B Product code SDS No. PCD 6286

Recommended use of the chemical and restrictions on use

Recommended use Photographic processing chemical. (bleach/bleach fixer).

Restrictions on use For industrial use only.

Details of manufacturer or importer

Supplier Kodak Alaris Australia Pty Limited Ground Floor, 2 Domville Avenue **Address**

Hawthorn, Victoria 3122

Australia

e-mail EHS-Questions@Kodakalaris.com

Emergency telephone

number

(02) 90372994

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Corrosive to metals Category 1 Health hazards Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s)



Corrosion

Signal word Danger

Hazard statement(s) May be corrosive to metals. Causes skin irritation. Causes serious eye damage.

Precautionary statement(s)

Prevention Keep only in original container. Wash thoroughly after handling. Wear eye protection/face

protection. Wear protective gloves.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Response

and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

Absorb spillage to prevent material damage.

Storage Store in corrosive resistant container with a resistant inner liner.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards which do not

result in classification

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Acetic acid	64-19-7	5 - 10
Ammonium nitrate	6484-52-2	1 - 5

4. First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Personal protection for first-aid responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Symptoms caused by exposure Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

Medical attention and special

treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Water spray. Alcohol resistant foam. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Special protective equipment and precautions for fire

fighters

During fire, gases hazardous to health may be formed. Carbon oxides. Nitrogen oxides (NOx). Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may

produce hazardous decomposition products.

Fire fighting

Hazchem code

equipment/instructions

General fire hazards

No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

2X

For non-emergency

personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions Methods and materials for containment and cleaning up Avoid discharge into drains, water courses or onto the ground. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Material name: KODAK FLEXICOLOR Bleach III Replenisher, Part B

7. Handling and storage

Precautions for safe handling Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid

prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container.

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Australia. Na	ational Workplace OELs ((Workplace Exposure	e Standards for Airborne	Contaminants, Appendix A)
_		_		

Components	Туре	Value	
Acetic acid (CAS 64-19-7)	STEL	37 mg/m3	
		15 ppm	
	TWA	25 mg/m3	
		10 ppm	

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

Εı	าง	ir	0	n	m	ıe	nt)

Components	Туре	Value	
Acetic acid (CAS 64-19-7)	STEL	37 mg/m3	
		15 ppm	
	TWA	25 mg/m3	
		10 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	
Acetic acid (CAS 64-19-7)	STEL	15 ppm	
	T\A/ A	10 nnm	

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection No personal respiratory protective equipment normally required. If engineering controls do not

maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved

respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Colour Green
Odour acetic acid

Odour threshold Not available.

pH 4.1

Melting point/freezing point Not available.

Initial boiling point and boiling

range

> 100 °C (> 212 °F)

Flash point does not flash
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit – upper

(%)

Not available.

Vapour pressure 18 mm Hg

Vapour density 0.6

Relative density Not available.

Solubility(ies)

Solubility (water) Complete

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other physical and chemical parameters

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

Specific gravity 1.05

10. Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stabilityMaterial is stable under normal conditions. **Possibility of hazardous**Hazardous polymerisation does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong bases. Metals. Strong oxidising agents. Sodium hypochlorite (bleach). Contact with sodium

hypochlorite (bleach) may form chloramine (toxic gas).

Hazardous decomposition

products

Ammonia. Chloramine. Nitrogen oxides (NOx).

11. Toxicological information

Information on possible routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion May cause burns of the gastrointestinal tract if swallowed.

Symptoms related to exposure Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. If signs and symptoms of cyanosis are present, treat for methemoglobinemia.

Acute toxicity

Test Results Components **Species** Acetic acid (CAS 64-19-7) **Acute Dermal** LD50 Rabbit 1060 mg/kg Inhalation LC50 Rat 11.4 mg/l, 4 Hours Oral LD50 Rat 3320 mg/kg 3.31 g/kg Ammonium nitrate (CAS 6484-52-2) **Acute** Inhalation LC50 Rat > 88.8 mg/l, 4 Hours Oral LD50 Rat 2217 mg/kg Skin corrosion/irritation Causes skin irritation. Causes serious eye damage. Serious eye damage/irritation Respiratory or skin sensitisation Respiratory sensitisation Not a respiratory sensitizer. Skin sensitisation This product is not expected to cause skin sensitisation.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results Product Species

KODAK FLEXICOLOR Bleach III Replenisher, Part B

Aquatic

Crustacea EC50 Daphnia 3745.5674 mg/l, 48 hours estimated Fish LC50 Fish 1638.9628 mg/l, 96 hours estimated

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Acetic acid -0.17

Mobility in soil No data available for this product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

ADG

UN number 3265

UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (Acetic acid)

Transport hazard class(es)

Class 8
Subsidiary risk Packing group |||

Environmental hazards Not available.

Hazchem code 2X

Special precautions for user Not available.

IATA

UN number 3265

UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (Acetic acid)

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 8L

Special precautions for user Not available.

Other information

Passenger and cargo A

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number 3265

UN proper shipping name Transport hazard class(es)

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Acetic acid)

Class 8
Subsidiary risk Packing group III

Environmental hazards

Marine pollutant No.

EmS F-A, S-B

Special precautions for user Not available.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

ADG



IATA; IMDG



15. Regulatory information

Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix E

TRADE SECRET (CAS Proprietary)

Australia Medicines & Poisons Appendix F

TRADE SECRET (CAS Proprietary)

Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 10

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 2

TRADE SECRET (CAS Proprietary)

Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 5

TRADE SECRET (CAS Proprietary)

Australia Medicines & Poisons Schedule 6

TRADE SECRET (CAS Proprietary)

Australia Medicines & Poisons Schedule 7

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 8

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 9

Poisons schedule number not allocated.

Australia National Pollutant Inventory (NPI): Threshold quantity

TRADE SECRET (CAS Proprietary)
High Volume Industrial Chemicals (HVIC)

10 TONNES/YR Threshold Category: 1

TRADE SECRET (CAS Proprietary)

1000 - 9999 TONNES See the regulation for additional

information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date04-January-2017Revision date09-November-2018

DisclaimerKodak Alaris cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's

responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision information Fire-fighting measures: General fire hazards

Inventory name

On inventory (yes/no)*