

Material Safety Data Sheet



Revision Date: 07.10.2010
Print Date: 19.03.2012
000000013376/Version: 1.1
Page: 1/5

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK Pre-Bleach and Replenisher II, Process E-6, Working solution

Product code: 1286228 - Working solution

Supplier: KODAK AUSTRALASIA Pty. Ltd., Level 2, 436 Johnston Street, Abbotsford, Victoria, 3067

For Chemical Emergency Information, in Australia call 1800 033111 (24 hour service Australia-wide); in New Zealand call 0800 734 607 (24 hour service); in Asia call +86 21 63500836

For Other Information, call 61 3 8417 8000.

Synonyms: None.

Product Use: photographic processing chemical, For industrial use only.

2. Hazards identification

STATEMENT OF HAZARDOUS NATURE: Not classified as hazardous according to criteria of Australian Safety and Compensation Council

Contains no scheduled poisons

3. Composition/information on ingredients

Weight percent	Components (CAS-No.)
1 - 5	Sodium formaldehyde bisulphite (870-72-4)
0.1 - <1	Potassium sulphite (10117-38-1)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

5. Fire-fighting measures

Hazchem Code: Not specified

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment..

Special Fire-Fighting Procedures: None (noncombustible)

Material Safety Data Sheet

Revision Date 07.10.2010
Print Date: 19.03.2012
000000013376/Version: 1.1
Page: 2/5

Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products sections.)

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Absorb spill with inert material, then place in a chemical waste container. Contaminated absorbent should be disposed of in accordance with local regulations. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Avoid prolonged or repeated breathing of vapor. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling.

Prevention of Fire and Explosion: No special technical protective measures required.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Sulphur dioxide	Exposure Standards	time weighted average	2 ppm 5.2 mg/m ³
Sulphur dioxide	WEL	Short term exposure limit	5 ppm 13 mg/m ³
		time weighted average	2 ppm 5.2 mg/m ³
		Short term exposure limit	5 ppm 13 mg/m ³

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Respiratory protection: None should be needed. A respirator should be worn if hazardous decomposition products are likely to be or have been released. If formaldehyde is emitted at levels requiring respiratory protection, the following respirator type should be worn: full facepiece with cartridges or canisters specifically approved by NIOSH for protection against formaldehyde or a TypeC air-supplied respirator demand type, with full facepiece, hood, or helmet. In case of insufficient ventilation wear suitable respiratory equipment for protection against formaldehyde or self contained breathing apparatus. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Material Safety Data Sheet

Revision Date 07.10.2010
Print Date: 19.03.2012
000000013376/Version: 1.1
Page: 3/5

Odour: odourless

Specific gravity: > 1

Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Volatile fraction by weight: 95 - 99 %

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: complete

pH: 6.3

Flash point: does not flash

Flammability Limits: Not specified

10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: Strong acids, Strong bases

Hazardous decomposition products: formaldehyde, Sulphur oxides.

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: No specific hazard known. May cause transient irritation.

Skin: Expected to be a low hazard for recommended handling.

Ingestion: Expected to be a low ingestion hazard.

Data for Sodium formaldehyde bisulphite (CAS 870-72-4):

Acute Toxicity Data:

Oral LD50 (rat): > 3,200 mg/kg

- Skin irritation: slight
- Skin Sensitization (guinea pig): negative
- Eye irritation (washed eyes): slight
- Eye irritation (unwashed eyes): moderate

Data for Potassium sulphite (CAS 10117-38-1):

Material Safety Data Sheet

Revision Date 07.10.2010
Print Date: 19.03.2012
000000013376/Version: 1.1
Page: 4/5

Acute Toxicity Data:

Oral LD50 (rat): > 3,200 mg/kg

- Dermal LD50 (guinea pig): > 20,000 mg/kg
- Skin irritation: slight to moderate

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l

Toxicity to daphnia (EC50): > 100 mg/l

Persistence and degradability: Readily biodegradable.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Material Safety Data Sheet

Revision Date 07.10.2010
Print Date: 19.03.2012
000000013376/Version: 1.1
Page: 5/5

Poisons Schedule: Not specified

Australian Safety and Compensation Council: none

Other regulations

Australia National Model Regulations for the Control of
Scheduled Carcinogenic Substances

No components listed

16. Other information

Australian Safety and Compensation Council Labeling:

Not classified as hazardous according to criteria of Australian Safety and Compensation Council

National Health and Medical Research Council Standard for the Uniform Scheduling of Drugs and Poisons Labeling:

CONTAINS NO SCHEDULED POISONS

First aid: No first aid instructions are recommended for labelling purposes.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-0, C-0