

Material Safety Data Sheet

Revision Date: 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 1/8



1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK EKTACOLOR Processing Cartridge 92/110, Developer

Product code: 1440775 - Developer

Supplier: KODAK AUSTRALASIA Pty. Ltd., Level 2, 436 Johnston Street, Abbotsford, Victoria, 3067

For Chemical Emergency Information, in Australia call 1800 033111 (24 hour service Australia-wide); in New Zealand call 0800 734 607 (24 hour service); in Asia call +86 21 63500836

For Other Information, call 61 3 8417 8000.

Synonyms: PCD 6575

Product Use: photographic processing chemical (developer/activator), For industrial use only.

2. Hazards identification

STATEMENT OF HAZARDOUS NATURE: Hazardous according to criteria of Australian Safety and Compensation Council

Corrosive. Causes burns. Harmful if swallowed. May cause sensitization by skin contact.

Poisons Schedule: 5, 6

Contains: Potassium carbonate, Potassium hydroxide

3. Composition/information on ingredients

Weight percent	Components (CAS-No.)
45 - 50	Diethylene glycol (111-46-6)
10 - 15	Potassium carbonate (584-08-7)
1 - 5	4-(N-ethyl-N-2-methanesulphonylaminoethyl)-2-methylphenylenediamine (92-09-1)
1 - 5	N,N-diethylhydroxylamine (3710-84-7)
1 - <5	Potassium hydroxide (1310-58-3)
0.1 - <0.5	Sodium hydroxide (1310-73-2)

4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

Eyes: Immediately flush the contaminated eye(s) with water for at least 60 minutes, while holding the eyelid(s) open. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Neutral saline solution may be used as soon as it is available. DO NOT INTERRUPT FLUSHING. Contact a physician or poison control center immediately. Continue flushing the eye(s) until the physician advises to stop. If necessary, continue flushing during transport to an emergency care facility.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control centre immediately. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

Material Safety Data Sheet

Revision Date 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 2/8

Ingestion: If swallowed, do NOT induce vomiting. Give victim a glass of water. Never give anything by mouth to an unconscious person. Urgent hospital treatment is likely to be needed.

Notes to physician:

Treatment: Strong alkalis bind tissue protein. Following initial flushing of the eye with water, continued irrigation of the eye with saline is recommended.

5. Fire-fighting measures

Hazchem Code: 2R

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Carbon oxides, nitrogen oxides (NOx), (see also Hazardous Decomposition Products sections.)

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Contaminated absorbent should be disposed of in accordance with local regulations. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Avoid breathing mist or vapour at concentrations greater than the exposure limits. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Diethylene glycol	Exposure Standards	time weighted average	23 ppm 100 mg/m3
Potassium hydroxide		Peak	2 mg/m3
Diethylene glycol	New Zealand	time weighted average	23 ppm 101 mg/m3
Potassium hydroxide		Ceiling Limit Value	2 mg/m3

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Material Safety Data Sheet

Revision Date 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 3/8

Respiratory protection: None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: organic vapour/P95. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Eye protection: Wear safety glasses with side shields (or goggles) and a face shield.

Hand protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

9. Physical and chemical properties

Physical form: liquid

Colour: clear orange

Odour: lemon

Specific gravity: 1.2289

Vapour pressure (at 20.0 °C (68.0 °F)) : 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (> 212.0 °F) (estimated)

Water solubility: completely soluble

pH: 13.7

Flash point: > 93.33 °C (> 200.0 °F) (estimated)

Flammability Limits: Not specified

10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: Strong oxidizing agents, Acids, Metals

Hazardous decomposition products: nitrogen oxides (NO_x).

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

General advice:

Contains: Diethylene glycol. Can cause kidney damage and CNS effects following ingestion. Repeated oral exposure to high doses can cause liver damage.

Contains: 4-(N-ethyl-N-2-methanesulphonylaminoethyl)-2-methylphenylenediamine. May

Material Safety Data Sheet

Revision Date 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 4/8

cause kidney damage based on animal data.

Contains: Sodium hydroxide. The following exposure effects are based on pH of the solution, concentration of the base, and a review of the literature.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: Causes burns.

Skin: Causes burns. May cause sensitization by skin contact.

Ingestion: Harmful if swallowed.

Data for Diethylene glycol (CAS 111-46-6):

Acute Toxicity Data:

Oral LD50 (rat): 12,565 mg/kg

- Inhalation LC50 (rat): > 5.08 mg/l / 4 hr
- Dermal LD50 (rabbit): 11,890 mg/kg
- Skin irritation: slight to moderate
- Eye irritation: mild

Mutagenicity/Genotoxicity Data:

Ames test: negative (in presence and absence of activation)

Data for Potassium carbonate (CAS 584-08-7):

Acute Toxicity Data:

Oral LD50 (rat): 1,870 mg/kg

Data for 4-(N-ethyl-N-2-methanesulphonylaminoethyl)-2-methylphenylenediamine (CAS 92-09-1):

Acute Toxicity Data:

Oral LD50 (rat): 200 mg/kg

- Skin Sensitization (guinea pig): moderate (Causes sensitization on guinea-pigs.)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Carcinogenicity:

- Dermal study (mouse, 2 years): NOEL; 62 mg/kg/day (only dose tested)

Data for Potassium hydroxide (CAS 1310-58-3):

Acute Toxicity Data:

Oral LD50 (rat): 273 mg/kg

- Skin irritation: severe

Data for N,N-diethylhydroxylamine (CAS 3710-84-7):

Acute Toxicity Data:

Oral LD50 (rat): 2,190 mg/kg

- Inhalation LC50 (rat): 3140 ppm / 4 hr

Material Safety Data Sheet

Revision Date 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 5/8

- Dermal LD50 (rabbit): 1,300 mg/kg
- Skin irritation: severe
- Skin Sensitization (guinea pig): negative
- Eye irritation (unwashed eyes): moderate

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Inhalation (28-day, male and female rat): NOAEL; 150 ppm/6 hours/day

Data for Sodium hydroxide (CAS 1310-73-2):

Acute Toxicity Data:

Oral LD50 (rat): 50 - 400 mg/kg

- Dermal LD50 (rabbit): 1,350 mg/kg
- Skin irritation: Severe skin irritation
- Eye irritation: severe

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): 1 - 10 mg/l

Toxicity to daphnia (EC50): 1 - 10 mg/l

Persistence and degradability: Readily biodegradable.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

ADG:	UN number:	UN1814
	Proper shipping name:	POTASSIUM HYDROXIDE SOLUTION
	Class:	8
	Packaging group:	II

IATA:	UN number:	UN1814
	Proper shipping name:	POTASSIUM HYDROXIDE SOLUTION
	Class:	8
	Packaging group:	II

Material Safety Data Sheet

Revision Date 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 6/8

IMDG: UN number: UN1814
Proper shipping name: POTASSIUM HYDROXIDE SOLUTION
Class: 8
Packaging group: II

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed
NDSL	Listed
EINECS	Not all listed
ELINCS	None listed
NLP	None listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Poisons Schedule: 5, 6

Australian Safety and Compensation Council: none

Other regulations

Australia National Model Regulations for the Control of Scheduled Carcinogenic Substances	No components listed
----------------------------------------------------------------------------------------------	----------------------

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture. The actual label information will depend upon the intended use of the product. Australian Safety and Compensation Council labeling appears for commercial/industrial use.

Australian Safety and Compensation Council Labeling:

Material Safety Data Sheet

Revision Date 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 7/8

Contains: Diethylene glycol 45 - 50%, 4-(N-ethyl-N-2-methanesulphonylaminoethyl)-2-methylphenylenediamine 1 - 5%, Potassium hydroxide 1 - <5%

pH: > 12



Symbol/Indication of Danger:

C: Corrosive

Risk Phrases:

R34: Causes burns.
R22: Harmful if swallowed.
R43: May cause sensitization by skin contact.

Safety Phrases:

S24: Avoid contact with skin.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

National Health and Medical Research Council Standard for the Uniform Scheduling of Drugs and Poisons Labeling:

POISON
KEEP OUT OF REACH OF CHILDREN
DO NOT SWALLOW
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Contains: Potassium carbonate (173.7665 g/L), Potassium hydroxide (24.08644 g/L)

Warning: Corrosive. Strongly alkaline. May produce severe burns. Attacks skin and eyes.

Safety Phrases: Avoid contact with skin or eyes. Wear eye protection when mixing or using. Wear protective gloves when mixing or using.

First aid: For advice, contact a Poisons Information Centre (Australia 13 1126; New Zealand 0800 764 766) or a doctor. If swallowed, do NOT induce vomiting. If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information

Material Safety Data Sheet

Revision Date 08.03.2012
Print Date: 19.03.2012
000000016964/Version: 5.0
Page: 8/8

relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-3, F-1, C-0