Product Code: K-J1P1H-01 Page: 1 of 5 This revision issued: September, 2007

SECTION 1 - IDENTIFICATION OF CHEMICAL PRODUCT AND COMPANY

| PO Box 317 | raphic Supplies Pty Ltd | Phone 02 9875 2244 Fax 02 9875 5448 Mobile. 0407 221 835 |
|-----------------------------------|--------------------------------|---|
| Thornleigh, NSW 212 Substance: | Water solution of ingredients. | Email: technical@iphoto.com.au |
| Trade Name: | • | it Type J1 K-J1P1H-01 Part A |
| Product Code: | K-J1P1H-01 | |
| Other Names: | None | |
| Product Use: | Photographic reagent. | |
| Creation Date: | June, 2007 | |
| Revision Date: | September, 2007 | |

SECTION 2 - HAZARDS IDENTIFICATION

Statement of Hazardous Nature

This product is classified as: Xn, Harmful. Xi, Irritating. Hazardous according to the criteria of ASCC.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: R22, R36/38. Harmful if swallowed. Irritating to eyes and skin.

Safety Phrases: S20, S23, S36, S24/25. When using, do not eat or drink. Do not breathe mists. Wear suitable protective clothing. Avoid contact with skin and eyes.

SUSDP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

Emergency Overview

Physical Description & colour: Clear pale yellow fluorescent solution. Odour: No odour.

Major Health Hazards: irritating to eyes and skin, harmful if swallowed.

Potential Health Effects

Inhalation:

Short term exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short term exposure: Available data indicates that this product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. Available data shows that this product is harmful, but symptoms are not available. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

MATERIAL SAFETY DATA SHEET

Issued by: Independent Photographic Supplies Pty Ltd

Phone 02 9875 2244 (BH)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

independent Photographic Supplies 🕠

Product Name: QA Paper Developer Initial Kit Type J1 K-J1P1H-01 Part A

> Product Code: K-J1P1H-01 Page: 2 of 5 This revision issued: September, 2007

ASCC: No significant ingredient is classified as carcinogenic by ASCC. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

| SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS | | | | |
|--|-----------|--------|--------------------------|---------------------------|
| Ingredients | CAS No | Conc,% | TWA (mg/m ³) | STEL (mg/m ³) |
| Diethylene glycol | 111-46-6 | 20-25 | 100 | not set |
| Other non hazardous ingredients | secret | 10-30 | not set | not set |
| Water | 7732-18-5 | to 100 | not set | not set |

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The ASCC TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

SECTION 4 - FIRST AID MEASURES

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

SECTION 5 - FIRE FIGHTING MEASURES

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. This will only occur after heating to dryness.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures. **Extinguishing Media:** Not Combustible. Use extinguishing media suited to burning materials.

Fire Fighting. If a significant quantity of this product is involved in a fire, call the fire brigade.

| rife righting: If a significant | quantity of this product is involve |
|---------------------------------|-------------------------------------|
| Flash point: | Does not burn. |
| Upper Flammability Limit: | Does not burn. |
| Lower Flammability Limit: | Does not burn. |
| Autoignition temperature: | Not applicable - does not burn. |
| Flammability Class: | Does not burn. |
| | |

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC, butyl rubber. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend

MATERIAL SAFETY DATA SHEET

Issued by: Independent Photographic Supplies Pty Ltd Phone 02 9875 2244 (BH) Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand) **i**ndependent **Photo**graphic Supplies •

Product Name: QA Paper Developer Initial Kit Type J1 K-J1P1H-01 Part A

STEL (mg/m³) not set

Product Code: K-J1P1H-01 Page: 3 of 5 This revision issued: September, 2007

that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, not normally necessary. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

SECTION 7 - HANDLING AND STORAGE

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Store packages of this product in a cool place. Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Keep containers of this product in a well ventilated area. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

| ASCC Exposure limits | TWA (mg/m³) |
|----------------------|-------------|
| Diethylene glycol | 100 |

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC, butyl rubber.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

| Physical Description & colour: | Clear pale yellow fluorescent solution. |
|--------------------------------|---|
| Odour: | No odour. |
| Boiling Point: | Approximately 100°C at 100kPa. |
| Freezing/Melting Point: | Approximately 0°C. |
| Volatiles: | Water component. |
| Vapour Pressure: | 2.37 kPa at 20°C (water vapour pressure). |
| Vapour Density: | No data. |
| Specific Gravity: | 1.10-1.20 |
| Water Solubility: | Completely soluble in water. |
| pH: | 11.3-11.8 |
| Volatility: | No data. |

MATERIAL SAFETY DATA SHEET

Issued by: Independent Photographic Supplies Pty Ltd

Phone 02 9875 2244 (BH)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Independent Photographic Supplies

Product Name: QA Paper Developer Initial Kit Type J1 K-J1P1H-01 Part A

> Product Code: K-J1P1H-01 Page: 4 of 5 This revision issued: September, 2007

Odour Threshold: Evaporation Rate: Coeff Oil/water distribution: Autoignition temp:

No data. No data. No data Not applicable - does not burn.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30°C. Keep containers tightly closed. Containers should be kept dry. Keep containers and surrounding areas well ventilated.

Incompatibilities: acids, strong bases, strong oxidising agents.

Fire Decomposition: Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. This will only occur after heating to dryness. Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

SECTION 11 - TOXICOLOGICAL INFORMATION

Local Effects: Target Organs:

There is no data to hand indicating any particular target organs.

Classification of Hazardous Ingredients

Ingredient

Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

SECTION 12 - ECOLOGICAL INFORMATION

We have data for two ingredients.

Diethylene glycol

| Biodegradation : | |
|---------------------|---|
| Fish acute toxicity | : |

Biodegradation:

Fish acute toxicity :

Daphnia acute toxicity :

Algae growth inhibition:

Daphnia acute toxicity :

Algae growth inhibition:

Readily biodegradable 24hrLC₅₀: >32000mg/I [Mosquito fish] 24hrLC₅₀: >5000mg/l [Goldfish] 96hr LC₅₀: 10000.00mg/l 48hrEC₅₀: 10000.00mg/l [Daphnia magna] 1mg/l, 10mg/l, 100mg/l No effect [Selenastrum capricornutum] Octanol/water partition coefficient: -2.000 Substituted amine derivative Not biodegradable 96hrLC₅₀: >100mg/l [Brackydanio rerio] 48hrEC₅₀: >100mg/I [Daphnia magna]

ErC₅₀: >1000mg/l [Selenastrum capricornutum] EbC₅₀: >1000mg/l [Selenastrum capricornutum] NOEC: >1000mg/I [Selenastrum capricornutum]

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal: There are many pieces of legislation covering waste disposal and they differ in each state and territory, so each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. The Hierarchy of Controls seems to be common - the user should investigate: Reduce, Reuse, and Recycle and only if all else fails should disposal be considered. Note that properties of a product may change in use, so that the following suggestions may not always be appropriate. The following may help you in properly addressing this matter for this product. This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to separate the contamination in some way. Only if neither of these options is suitable, consider landfill,

MATERIAL SAFETY DATA SHEET Issued by: Independent Photographic Supplies Pty Ltd Phone 02 9875 2244 (BH) Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Code: K-J1P1H-01 Page: 5 of 5 This revision issued: September, 2007

SECTION 14 - TRANSPORT INFORMATION

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

SECTION 15 - REGULATORY INFORMATION

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

SECTION 16 - OTHER INFORMATION

This MSDS contains only safety-related information. For other data see product literature.

| Acronyms: ADG Code AICS | Australian Code for the Transport of Dangerous Goods by Road and Rail Australian Inventory of Chemical Substances |
|-------------------------------|--|
| ASCC | Office of the Australian Safety and Compensation Council |
| CAS number | Chemical Abstracts Service Registry Number |
| Hazchem Code | Emergency action code of numbers and letters that provide information to |
| | emergency services especially firefighters |
| IARC | International Agency for Research on Cancer |
| NOS | Not otherwise specified |
| NTP | National Toxicology Program (USA) |
| R-Phrase | Risk Phrase |
| SUSDP | Standard for the Uniform Scheduling of Drugs & Poisons |
| UN Number | United Nations Number |
| | KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF ED AND USED IN THE WORKPLACE. |

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This MSDS is prepared in accord with the ASCC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, September, 2007.

http://www.kilford.com.au/ Phone (02)9251 4532